

## 제 22 장

### 폐경여성의 비뇨부인과적 관리

1. Al-Badr A, Ross S, Soroka D, Drutz HP. What is the available evidence for hormone replacement therapy for women with stress urinary incontinence? *J Obstet Gynecol Can* 2003;25: 567-74.
2. Berek & Novac's Gynecology, 15th edition 915page
3. Barlow DH, Cardozo LD, Francis RM, Griffin M, Hart DM, Stephens E, et al. Urogenital ageing and its effect on sexual health in older British women. *Br J Obstet Gynaecol* 1997; 104: 87-919.
4. Beisland HO, Fossberg E, Moer A, Sander S. Urethral insufficiency in postmenopausal females: treatment with phenylpropanolamine and estriol separately and in combination. *Urol Int* 1984; 39: 211-6.
5. Blomquist J, Germain MM. Surgical treatment of stress incontinence with hypermobility. In: Ostergard's Urogynecology and pelvic floor dysfunction. 5th ed. Boscia JA, Kaye D. Asymptomatic bacteria in the elderly. *Infect Dis Clin North Am* 1987; 1: 893-903.
6. Brown JS, Seeley DG, Fong J, Black DM, Enslud KE, Grady D. Urinary incontinence in older women: who is at risk? *Obstet Gynecol* 1996; 87: 715-21.
7. Cardozo LD, Tapp A, Versi E. The lower urinary tract in peri- and postmenopausal women. In: Samsioe G, Bonne Erickson P, editor. *The Urogenital Oestrogen Deficiency Syndrome*. Bagsverd, Denmark: Novo Industri AS Press; 1987. p.10-17.
8. Cardozo L, Benness C, Abbott D. Low dose oestrogen prophylaxis for recurrent urinary tract infections in elderly women. *Br J Obstet Gynaecol* 1998; 105: 403-7.
9. Cardozo L, Lose G, Mc Clish D, Versi E, de Koning Gans H. A systematic review of oestrogens for recurrent urinary tract infections: third report of the hormones and urogenital therapy committee. *Int Urogynecol J Pelvic Floor Dysfunction* 2001; 12: 15-20.
10. Cardozo L, Lose G, Mc Clish D, Versi E. A systematic review of the effects of estrogens for symptoms suggestive of overactive bladder. *Acta Obstet Gynecol Scand* 2004; 83: 892-7.
11. Chaliha C, Kalia V, Stanton SL, Sultan AH. What does pregnancy and delivery do to bladder function? A urodynamic viewpoint. *Neurourol Urodyn* 1998; 17: 415-6.
12. Collas DM, Malone Lee J. Age-associated changes in detrusor sensory function in

- women with lower urinary tract symptoms. *Int Urogynecol J* 1996; 7: 24-9.
13. Cutner A, Carey A, Cardozo LD. Lower urinary tract symptoms in early pregnancy. *J Obstet Gynaecol* 1992; 12: 75-8.
  14. Cutner A. The Lower urinary tract in pregnancy. MD thesis, University of London Press; 1993.
  15. Djehdian LM, Araujo MP, Takano CC. Transobturator sling compared with single-incision minisling for the treatment of stress urinary incontinence: a randomized controlled trial. *Obstet Gynecol* 2014; 123: 553-61.
  16. JP T. Pelvic Organ Prolapse: Relations to pelvic floor dysfunction. Biweekly review of *Chin Obstet Gynecol* 1994; 14: 1-5.
  17. DuBeau CE. Estrogen treatment for urinary incontinence. Never, now or in the future? *JAMA* 2005; 293: 998-1001.
  18. Eriksen B. A randomized, open, parallel group-study on the preventive effect of an estradiol-releasing vaginal ring (Estring) on recurrent urinary infections in postmenopausal women. *Am J Obstet Gynecol* 1999; 180: 1072-9.
  19. Freeman RM. Initial management of stress urinary incontinence: pelvic floor muscle training and duloxetine. *BJOG* 2006; 113: S10-16.
  20. Fantl JA, Cardozo L, McClish DK. Estrogen therapy in the management of urinary incontinence in postmenopausal women: a meta-analysis. *Obstet Gynecol* 1994; 83: 12-8.
  21. Goldstein SR, Johnson S, Walls NB. Incidence of urinary incontinence in postmenopausal women treated with raloxifene or estrogen. *Menopause* 2005; 12: 160-4.
  22. Grady D, Brown JS, Vittinghoff E, Applegate W, Varner E, Snyder T; HERS Research Group. Postmenopausal hormones and incontinence: the heart and estrogen/progestin replacement study. *Obstet Gynecol* 2001; 97: 116-20.
  23. Grodstein F, Lifford K, Resnick NM, Curhan GG. Postmenopausal hormone therapy and risk of developing urinary incontinence. *Obstet Gynecol* 2004; 103: 254-60.
  24. Hay-Smith E, Bo K, Berghmans L, Hendriks H, de Bie R, van Waalwijk van Doorn E. Pelvic floor muscle training for urinary incontinence in women. *Cochrane Database Syst Rev* 2007; 3: CD001407.
  25. Hendrix SL, Cochrane BB, Nygaard IE, Handa VL, Barnabei VM, Iglesia C, et al. Effects of estrogen with and without progestin on urinary incontinence. *JAMA* 2005; 293: 935-48.
  26. Herbison P, Plevnik S, Mantle J. Weighted vaginal cones for urinary incontinence. *Cochrane Database Syst Rev*. 2002; 1: CD002114.
  27. Hextall A, Bidmead B, Cardozo L, Hooper R. The impact of the menstrual cycle on urinary symptoms and the results of urodynamic investigation. *BJOG* 2001; 108:

- 1193-6.
28. Hextall A, Hooper R, Cardozo LD, Stinger C, Workman R. Does the menopause influence the risk of bacteriuria? *Int J Urogynecol J Pelvic Floor Dysfunct* 2001; 12: 332-6.
  29. Hilton P. Urethral pressure measurement by micro transducer: Observations on the methodology, the pathophysiology of stress incontinence and the effects of treatment in the female. MD thesis, University of Newcastle upon Tyne Press; 1981.
  30. Hilton P, Tweddel AL, Mayne C. Oral and intravaginal estrogens alone and in combination with alpha adrenergics stimulation in genuine stress incontinence. *Int Urogynecol J* 1990; 12: 80-6.
  31. Horan MA, Parker SG. Infections, aging and host response. In: Horan MA, Little RA, editor. *Injury in the Aging*. Cambridge: Cambridge University Press, 1998; 126-46.
  32. Hunskaar S, Burgio K, Diokno AC, Herzog AR, Hjalmas K, Lapitan MC. Epidemiology and natural history of urinary incontinence. In: Abrams P, Cardozo L, Khoury S, Wein A, editors. *Incontinence. 2nd international consultation on incontinence, 2nd ed.* Plymouth; Health Publication Press. p.165-201.
  33. Jolleys JV. Reported prevalence of urinary incontinence in a general practice. *Br Med J* 1988; 296: 1300-2.
  34. Kirkengen AL, Anderson P, Gjersoe E, Johannessen GR, Johnsen N, Bodd E. Oestriol in the prophylactic treatment of recurrent urinary tract infections in post-menopausal women. *Scand J Prim Health Care* 1992; 10: 139-42.
  35. Kjaergaard B, Walter S, Knudsen A, Johansen B, Barlebo H. Treatment with low dose vaginal estradiol in post-menopausal women. A double blind controlled trial. *Ugeskr Laeger* 1990; 152:658-9.
  36. Klutke JJ, Bergman A. Nonsurgical treatment of stress urinary incontinence. In: Ostergard's *Urogynecology and pelvic floor dysfunction*. 5th ed. Philadelphia; Lippincott Williams & Wilkins Press. p.447-51.
  37. Koelbl H, Naumann G. Diagnostic methods to detect female urinary incontinence In: Becker HD, et al. editors. *Urinary and Fecal incontinence*. 1st ed. Berlin Heidelberg: Springer Press. p.156-166-11.
  38. Kubic K, Horbach NS. Suburethral sling procedures and treatment of complicated stress incontinence. In: Ostergard's *Urogynecology and pelvic floor dysfunction*. 5th ed. Philadelphia: Lippincott Williams & Wilkins Press. p.469-93.
  39. Malone Lee J, Waheda I. The characterization of detrusor contractile function in relation to old age. *Br J Urol* 1993; 72: 873-80.
  40. Moehrer B, Hexatall A, Jackson S. Oestrogens for urinary stress incontinence in women. *Cochrane Database Syst Rev* 2003; 2: CD001405.

41. Montella JM. Management of overactive bladder. In: Ostergard's Urogynecology and pelvic floor dysfunction. 5th ed. Philadelphia: Lippincott Williams & Wilkins Press. p.293-306.
42. Nygaard E, Menefee SA, Wall LL. Lower urinary tract disorders. In: Berek JS, editor. Berek & Novak's Gynecology. 14th ed. Philadelphia: Lippincott Williams & Wilkins Press; 2007. p.849-898.
43. Ouslander JG, Greendale GA, Uman G, Lee C, Paul W, Schnelle J. Effects of oral oestrogen and progestin on the lower urinary tract among female nursing home residents. *Am Geriatr Soc* 2001; 49: 803-7.
44. Philadelphia: Lippincott Williams & Wilkins Press. p.457-68.
45. Raz R, Stamm WE. A controlled trial of intravaginal estriol in post-menopausal women with recurrent urinary tract infections. *N Engl J Med* 1993; 329: 753-6.
46. Rekers H, Drogendijk AC, Valenburg H, Riphagen F. Urinary incontinence in women from 35 to 79 years of age: prevalence and consequences. *Eur J Obstet Gynecol Reprod Biol* 1992; 43:229-34.
47. Rud T, Anderson KE, Asmussen M, Hunting A, Ulmsten U. Factors maintaining the urethral pressure in women. *Invest Urol* 1980; 17: 343-7.
48. Rufford J, Hextall A, Cardozo L, Khullar K. A double-blind placebo controlled trials on the effects of 25 mg oestradiol implants on the urge syndrome in postmenopausal women. *Int Urogynecol J* 2003; 14: 78-83.
49. Sandford JP. Urinary tract symptoms and infection. *Ann Rev Med* 1975; 26: 485-505.
50. Stanton SL, Kerr-Wilson R, Harris VG. The incidence of urological symptoms in normal pregnancy. *Br J Obstet Gynaecol* 1980; 87: 897-900.
51. Swithinbank LV, Vestey S, Abrams P. Nocturnal polyuria in community dwelling women. *Neurourol Urodyn* 1998; 17: 314-5.
52. Thomas TM, Plymat KR, Blannin J, Meade TW. Prevalence of urinary incontinence. *Br Med J* 1980; 281: 1243-5.
53. Thakar R, Stanton S. Management of genital prolapse. *BMJ* 2002; 324: 1258-62
54. Van Geelen JM, Doesburg WH, Thomas CMG. Urodynamic studies in the normal menstrual cycle: the relationship between hormonal changes during the menstrual cycle and the urethral pressure profile. *Am J Obstet Gynecol* 1981; 141: 384-92.
55. Vetter NJ, Jones DA, Victor CR. Urinary incontinence in the elderly at home. *Lancet* 1981; 2: 1275-7.
56. Wagg AS, Lieu PK, Ding YY. A urodynamic evaluation of age associated changes in urethral function in women with lower urinary tract symptoms. *J urol* 1996; 156: 1984-8.

57. Weinberger MW. Differential diagnosis of urinary incontinence. In: Bent AE, et al., eds. Ostergard's Urogynecology and pelvic floor dysfunction. 5th ed. Philadelphia: Lippincott Williams & Wilkins Press. p61-68.
58. Weber AM, Richter HE. Pelvic organ prolapse. Obstet Gynecol 2005; 106: 615-34.
59. Zeitlin MP, Lebherz TB. Pessaries in the geriatric patient. J Am Geriatr Soc 40: 635-9, 1992.